UNITED STATES DEPARTMENT OF COMMERC United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/772,160	02/03/2004	Ronald C. Tate	1505-0170	1860
7590 11/26/2007 Harold C. Moore Maginot, Moore & Beck			EXAMINER	
			KARLSEN, ERNEST F	
Bank One Center/Tower 111 Monument Circle, Suite 3000 Indianapolis, IN 46204-5115		• .	ART UNIT	PAPER NUMBER
			2829	
,				
		•	MAIL DATE	DELIVERY MODE
			11/26/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/772,160	TATE, RONALD C.				
Office Action Summary	Examiner	Art Unit				
	Ernest F. Karlsen	2829				
The MAILING DATE of this communication a	ppears on the cover sheet wit	th the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory perions - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the material patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC 1.136(a). In no event, however, may a re od will apply and will expire SIX (6) MONT tute, cause the application to become ABA	CATION. ply be timely filed IHS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 22	Responsive to communication(s) filed on <u>22 October 2007</u> .					
2a) This action is FINAL 2b) TI	This action is FINAL . 2b) This action is non-final.					
• •	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice unde	r <i>Ex parte Quayle</i> , 1935 C.D.	11, 453 O.G. 213.				
Disposition of Claims						
4) Claim(s) <u>2-11, 22-24 and 26-31</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) <u>2-11,22-24 and 26-31</u> is/are allowed.						
6) Claim(s) is/are rejected.						
7) Claim(s) is/are objected to.	7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and	d/or election requirement.					
Application Papers						
9)⊠ The specification is objected to by the Exami	ner.					
10)⊠ The drawing(s) filed on <u>02 February 2006</u> is/are: a) accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the	Examiner. Note the attached	Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) ☐ Acknowledgment is made of a claim for forei a) ☐ All b) ☐ Some * c) ☐ None of:	gn priority under 35 U.S.C. §	119(a)-(d) or (f).				
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority docume						
3. Copies of the certified copies of the pr	•	received in this National Stage				
application from the International Bure	, , ,	and it and				
* See the attached detailed Office action for a li	st of the certified copies not r	eceived.				
Attachment(s)						
1) Notice of References Cited (PTO-892)		ummary (PTO-413)				
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date)/Mail Date formal Patent Application				

The declaration filed on October 22, 2007 under 37 CFR 1.131 is sufficient to overcome the Loy '867 reference.

The following is an examiner's statement of reasons for allowance:

No reference was found or a combination of references found anticipating a current coil arrangement in an electric meter wherein the combination of elements as presented in claims 22 or 26 includes the blade contact portion including a flexible member biased toward and disposed against the middle portion of the first current coil or wherein the combination of elements as presented in claim 29 includes the blade contact portion including an opening with the middle portion of the first current coil passing through the opening.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Claims 2-11, 22-24 and 26-31 are allowed.

This application is in condition for allowance except for the following formal matters:

Application/Control Number:

10/772,160 Art Unit: 2829

The specification is objected to for having inconsistent reference to numbers identifying elements of the drawings. The specification should be revised to be consistent with the drawings.

The drawings filed on February 2, 2006 are objected to for having numerous numbering errors. Some numbers are used to designate plural elements and some numbers appearing in the specification are not present in the drawings at all. The drawings should be revised to be consistent with the specification.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ernest F. Karlsen whose telephone number is 571-272-1961. The examiner can normally be reached on 8 hrs. Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ha Nguyen can be reached on 571-272-1678. The

Application/Control Number:

10/772,160 Art Unit: 2829 Page 4

fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ernest F. Karlsen

November 21, 2007

ERNEST KARLSEN
PRIMARY EXAMINER